



Shock Absorber Piston



TYPE 1



Model	ϕD	ϕD_1	ϕd	H	h	Number & Diameter of Holes	Notes
BM-WF315	24.6	20	8	13.5	6	4-6(Square hole), n- $\phi 1.8$	
BM-WF365	24.6	21	8	13	7.8	4-7(Square hole), 6- $\phi 1.8$	
BM-WF317	26.7	20	8	13.5	6	4-6(Square hole), 5- $\phi 1.8$	
BM-WF346	27	21.8	8	14	7.8	12- $\phi 1.6$, 3- $\phi 1$	
BM-WF272	29.5	24.6	10	14	8	12- $\phi 1.4$, 3- $\phi 2$, 6- $\phi 2$	
BM-WF001	30	24.5	8	15	8	4-8(Square hole), 1- $\phi 2$, 2- $\phi 2$, 4- $\phi 2.4$, 6- $\phi 2.4$	
BM-WF393	31.5	24.6	10	14	8	4-3.3(Square hole), 3- $\phi 1$	
BM-WF318	32	24.5	8	15	8	4-8(Square hole), 4- $\phi 2.4$	
BM-WF249	31.3	25.8	10	12.5	8	4-6(Square hole), 6- $\phi 1.5$	
BM-WF158	45	37.3	12	22(20)	11.7	10- $\phi 3$, 4- $\phi 3$, 8- $\phi 2.8$	Customized cutting groove according to customer requirements
BM-WF157	49.9	33	12	19.5	11	24- $\phi 2.3$	
BM-WF200	50	42.5	12	22(20)	11	10- $\phi 3$, 6- $\phi 3$	

Shock Absorber Piston



TYPE 2



Model	ϕD	ϕD_1	ϕd	H	h	Number & Diameter of Holes	Notes
BM-WF361	26.2	21.5	8	14	7	6- $\phi 2$, 3- $\phi 1.9$	
BM-WF361-A	26.3	21.5	8	14	7	4-5(Square hole), 3- $\phi 1.9$, 9- $\phi 1.9$	
BM-WF244	27	21.5	8	14	7.5	6- $\phi 2$, 3- $\phi 2$	
BM-WF095	29.4	21.5	8	14	7	4-5(Square hole), 3- $\phi 1.8$	
BM-WF091	29.25	24	8	16	7	4-6(Square hole), N- $\phi 1.8$	
BM-WF135	29.3	24	8	14	7	4-8(Square hole), 8- $\phi 2$	
BM-WF033	29.4	24	8	12.6	7	4-6(Square hole), 3- $\phi 1.4$, 3- $\phi 1.6$	
BM-WF246	30	24	8	16	8	9- $\phi 2.2$, 2- $\phi 2$, 3- $\phi 2$	
BM-WF134	31.3	25.8	10	14	7	4-6(Square hole), 3- $\phi 2$	
BM-WF028	31.25	26	10	12.6	7	4-10(Square hole), 6- $\phi 2$	
BM-WF362	31.2	27	9	14	9	9- $\phi 2.5$, 3- $\phi 1.9$	
BM-WF259	31.5	27	8	14	9	9- $\phi 2.5$, 2- $\phi 2$	
BM-WF133	34.3	27	10	14	7	4-8(Square hole), 8- $\phi 2$	
BM-WF131	34.5	28.8	8	14	9	9- $\phi 2.5$, 2- $\phi 2$	
BM-WF132	35.3	25.8	10	14	7	2-6(Square hole) 3- $\phi 2$	

Shock Absorber Piston


TYPE 3



Model	ϕD	ϕD_1	ϕd	H	h	Number & Diameter of Holes	Notes
BM-WF059	40	33	12	16	8	4-8.6 / 4-5.7 (Fan-shaped hole)	
BM-WF206	40	33	12	17.5	8	4-8.6 / 4-5.7 (Fan-shaped hole)	

Shock Absorber Piston


TYPE 4



Model	ϕD	ϕD_1	ϕd	H	h	h ₁	Number & Diameter of Holes	Notes
BM-WF386	29.2	23	8	18	9	2	4-6.3 (U-type hole)	

Shock Absorber Piston

TYPE 5



Model	$\varnothing D$	$\varnothing d$	H	Number & Diameter of Holes	Notes
BM-WF027-A	29.3	8	14	3- $\varnothing 2,6$ - $\varnothing 2$	Customized cutting groove according to customer requirements
BM-WF027	29.4	8	14	3- $\varnothing 2,6$ - $\varnothing 2$	